



ABBOTT PARK

Residential Design Guidelines

Table of Contents

INTRODUCTION	PAGE
Community Overview.....	1
The Master Developer....	1
Responsibilities of the Master Developer.....	1
Design Guidelines Overview.....	2
 SECTION ONE: REVIEW PROCESS	
Architectural Review Board	3
Functions of the Board	3
Design Review Submittal Requirements.....	4
Modifications.....	5
Ordinance and Standards Compliance.....	6
 SECTION TWO: SITE STANDARDS	
Site Standards.....	7
Buffer Areas – Screen Planting Easements	7
Tree Preservation.....	7
 SECTION THREE: HOME CONSTRUCTION STANDARDS	
Monotony Controls.....	8
Building Layout and Widths	8
Building Heights.....	9
Building Materials and Color.....	9
Building Elevations.....	9
Building and Structure Projections.....	10
Deck/Patio Installation Specifications.....	10
Garages and Parking.....	11
Mailboxes and House Numbers.....	12
Pools, Spas and Enclosures.....	13
Roofs.....	14
Sidewalks.....	14

SECTION FOUR: LANDSCAPE STANDARDS

PAGE

Landscaping.....	15
Irrigation.....	18
Landscape & Irrigation Maintenance.....	19
Exterior Lighting.....	21
Fencing.....	21
Screening and Buffering.....	23
Walls.....	23

SECTION FIVE: OTHER STANDARDS

Accessory Buildings.....	24
Antennas & Satellite Dishes.....	24
Clotheslines.....	24
Flags.....	25
Garbage Containers.....	25
Preparations for Inclement Weather.....	25
Propane Tanks.....	25
Recreational Items (Basketball Standards).....	25
Temporary Storage Containers.....	25
Tennis Courts.....	25

SECTION SIX: ABBOTT PARK NEIGHBORHOODS

Abbott Park Neighborhood Map.....	28
Lot Layout & Setback Requirements.....	29
Minimum Square Footage.....	31

EXHIBITS

A – Architectural Review Board Submittal Form.....	32
C – Antenna & Satellite Dish Specifications.....	35
D – Modifications Submittal Form.....	38
E – Fence Specifications.....	39

INTRODUCTION

ABBOTT PARK COMMUNITY OVERVIEW

Abbott Park is a family oriented residential community offering a wide selection of housing types and price categories. Abbott Park offers a variety of amenities including the community center with resort-style pool and clubhouse.

THE MASTER DEVELOPER

The Master Developer of Abbott Park is Dune FL Land I Sub, LLC.

RESPONSIBILITIES OF THE MASTER DEVELOPER

The Master Developer provides design and construction of the infrastructure network necessary to proceed with home construction. The infrastructure includes the following:

1. Installation of public roadways and streetlights.
2. Installation of domestic and fire water lines, sanitary sewers and common storm water management flood control systems.
3. A distribution system for telephone, CATV, and electric service.
4. Development of common spaces such as project entrances and landscape buffers, recreational features and road rights-of-way.
5. Establishment of a Homeowners' Association. During the initial development, the Association will be managed by the Master Developer.
6. Creation of a Community Development District to finance, construct and maintain common areas, parks, recreational facilities and other amenities.

INTRODUCTION

DESIGN GUIDELINES OVERVIEW

All homes proposed for construction in Abbott Park are subject to the review and approval of the Abbott Park Homeowners Association, Inc. through its Architectural Review Board (“ARB”). The ARB will review and approve all aspects of new construction (and later modifications) of the home including landscaping, patios and decks, swimming pools, whirlpools or spas, screened enclosures, shutters, awnings, fences, accessory buildings, play structures, painting or other alteration of a dwelling including doors, windows and roof, and other exterior construction or outdoor ornamentation.

Design Guidelines are established to ensure and implement consistent and high-quality design standards. They will serve as a framework for design concepts and provide performance and quality standards that will guide the design and construction of the variety of housing types in Abbott Park. The developer reserves the right to establish more restrictive Design Guidelines for individual neighborhoods within Abbott Park.

No home shall be started without the ARB’s final approval of the building plans and specifications. The plans and specifications must meet the minimum Design Review Submittal Requirements outlined in these documents. Notwithstanding these requirements, home builders that purchase lots directly from the Master Developer are eligible to receive advance approval of their house plans, alternate elevations, colors, materials and landscaping plans (“Master Approval”) negating the need to obtain ARB approval for each home to be constructed. Such Master Approval will still require full compliance with all other aspects of the Design Guidelines unless otherwise specifically waived in writing by the ARB.

Enforcement of the Design Guidelines and any decisions made by the ARB shall be as per the manner described in the Declaration of Covenants, Conditions and Restrictions for the Abbott Park Homeowners Association, Inc. In addition to those provisions, the Master Developer may assess monetary penalties against builders that fail to comply with the Design Guidelines for homes constructed on lots purchased directly from the Master Developer. The Master Developer reserves the right to withhold the return of the builder’s purchase deposit until any such monetary penalties are paid in full.

The Master Developer reserves the right to revise and update the design criteria as well as the performance and quality standards at any time in order to respond to future community requirements as well as to new product development and innovations within the home building industry.

SECTION ONE: REVIEW PROCESS

ARCHITECTURAL REVIEW BOARD

The ARB shall consist of the Master Developer until all new homes within the project have been completed or the Master Developer elects to assign its ARB responsibilities to others.

FUNCTIONS OF THE BOARD

1. The ARB will evaluate each of the housing units proposed for construction to assure conformity with the design criteria, performance and quality standards set forth in the Design Guidelines as well as compatibility with the adjoining sites and common spaces.
2. If conflicts arise between the submitted application and the Design Guidelines, the ARB shall have the sole discretion to interpret the standards and render a decision.
3. The ARB has the right to grant variances from the Design Guidelines in accordance with the Declaration of Covenants, Conditions and Restrictions ("CCR's").
4. The ARB has the right to monitor and oversee the design and construction process in order to ensure conformance with the approved plans and the standards set forth in the Design Guidelines.
5. The ARB shall review and respond to each submittal in writing. Unapproved submissions shall be returned to submitter for revision and re-submittal.

SECTION ONE: REVIEW PROCESS

DESIGN REVIEW SUBMITTAL REQUIREMENTS

A complete design submittal to the ARB shall include the following:

1. Two (2) copies of a scalable survey/site plan of the lot at a minimum scale of 1" = 20'. Base data to be shown on survey/site plan includes lot lines and dimensions, easements, location of lot corners, topography, existing and proposed grades, existing significant vegetation, etc., including all existing trees over four (4) inches in diameter at breast height to remain or be removed. Plan shall include exact location of all structures, driveways, swimming pools, walls, mailboxes, garbage can pads, air-conditioning units, walks, patios, screened enclosures and decks. Faxed or emailed copies are not acceptable. This site plan is not required for any lot on which a home builder will be constructing a home for which the house plan has already received Master Approval and provided that there are no existing trees over four (4) inches in diameter at breast height.
2. Building floor plans, sections and all elevations at a scale not less than 1/8" = 1'. Faxed or emailed copies are not acceptable.
3. Exterior building materials and color scheme including any exterior stone, brick or siding type and color; roof type and color; front door color, trim color(s) and accent colors.
4. Two (2) copies of a landscape plan showing existing and proposed grading contours and landscape concept, decks, patios, walkways and lighting. Irrigation System plans are required on all lots in all neighborhoods. Landscape plan must show all new planting and any existing trees. The quantities and sizes and installed unit prices of plant materials must be noted. Common names of all plant material must be indicated on the plans. Provided that the landscaping on any lot will be substantially in conformance with the Master Approval then a landscape plan is not required for each individual lot.
5. The ARB will review submissions for Master Approval and any proposed amendments to an existing Master Approval at no cost to the home builder. The review and approval of plans for an individual home that is not subject to existing Master Approval will be performed by the ARB for a Design Review Fee of \$100.00 per home. The ARB reserves the right to charge additional Design Review Fees for plans that have to be resubmitted due to the failure to meet the minimum standards of these Guidelines.

SECTION ONE: REVIEW PROCESS

6. Subsequent to the Master Approval or initial approval, a builder's or homeowner's submission for approval of any feature subject to these Guidelines, including but not limited to additions of a pool, screened enclosure, walks, patios, decks and landscaping and revisions to colors, materials and landscaping, shall require a review fee of \$30.00.
7. Notwithstanding the above formal submittal requirements, the ARB will accept and review, at no charge, informal applications, including hand-drawn sketches, if applicable, and provide comments as to general compliance with the Guidelines. The purpose of this informal review is to provide the applicant with a general sense of whether the proposed improvements are acceptable or not prior to incurring the expense of a more formal application. Regardless of the outcome of an informal review, no improvements shall be implemented until the ARB has reviewed and approved a formal application made in accordance with these guidelines.
8. All fees for design review are payable at the time of submittal to Abbott Park Homeowners Association, Inc.

The appropriate page(s) of the "Architectural Review Board Submittal Form" must accompany all submissions (Sample form found in Exhibit A). The board reserves the right to take as many as fourteen (14) business days to approve or disapprove any submissions.

MODIFICATIONS

The ARB shall have exclusive jurisdiction over modifications, additions, or alterations made on or to existing structures in accordance with the CCR's, and the Design Guidelines. All modification requests must be submitted to the Architectural Review Board.

SECTION ONE: REVIEW PROCESS

ORDINANCE AND STANDARDS COMPLIANCE

All homes constructed in Abbott Park are designed, built and sold by independent homebuilders who are not employees or agents of the Master Developer. As such, ARB approval does not substitute for, or ensure, compliance with the requirements of all public agencies having jurisdiction over the project, including but not limited to the City of Zephyrhills and Pasco County. Each builder and homeowner must comply with all zoning and building regulations, agreements and ordinances established by the City of Zephyrhills and Pasco County and applicable at the time of purchase and development.

Any changes required to comply with applicable municipal codes that are subsequent to the ARB's final approval must be resubmitted to the ARB for its approval. The committee may request a meeting to discuss modifications of the drawings or the specifications.

SECTION TWO: SITE STANDARDS

The information provided in Section Two covers standards for all neighborhoods in Abbott Park. For additional information concerning specific neighborhood standards, please consult Section Six.

SITE STANDARDS

The Master Developer has provided a master neighborhood-grading plan in addition to other planning and implementation guidelines and procedures, in an effort to minimize alteration to the land and impact to the ecosystem. Care shall be taken to preserve vegetation, topography and the natural grades and drainage systems. This philosophy must be followed at all levels of development.

All lot grading and top of foundation elevations must be planned and constructed in accordance with the Abbott Park master grading plan and the City of Zephyrhills lot grading requirements. Any deviations from the master grading plans, for any lot, must be approved in writing, in advance.

Prior to commencing clearing and construction, a silt fence must be installed on both sides of lot and at rear of lot.

BUFFER AREAS - SCREEN PLANTING EASEMENTS

Easements have been provided to buffer some adjacent roadways. No buildings, fences, driveways or permanent structures shall be constructed within screen planting easements.

TREE PRESERVATION

No trees greater than four (4) inches in diameter at breast height shall be removed without the express written approval of the Architectural Review Board and a tree removal permit from the City's Planning Department. Locations, sizes, and species of all existing trees must be shown on lot surveys and building site plans submitted for design review. The City of Zephyrhills' tree preservation requirements must also be followed.

SECTION THREE: HOME CONSTRUCTION STANDARDS

The information provided in Section Three covers standards for all neighborhoods in Abbott Park. For additional information concerning specific neighborhood standards, please consult Section Six.

MONOTONY CONTROLS

Housing types or styles shall not be repetitive from lot to lot along the neighborhood street. Rather, a variety of houses are encouraged. The monotony controls exist to prevent duplicate houses from being built in close proximity to each other. Houses shall be required to have sufficient differences in both front elevation and color schemes which, in the opinion of the ARB, make them significantly different from each other. They are not designed to preclude all similarities between Properties.

The following situations are subject to the monotony code:

1. Two (2) houses on each side of a proposed home that all face the same street.
2. The house directly across the street from a proposed home.
3. One (1) house on each side of the house directly across the street from the proposed home.
4. On small, tight cul-de-sac circles, any house that faces or is diagonally across the cul-de-sac from a proposed home.

BUILDING LAYOUT AND WIDTHS

Housing units shall be sited and oriented to best take advantage of views and open space. View orientation towards other units shall be avoided wherever possible.

Alternating staggered front yard building setbacks from road right-of-ways ("R.O.W.'s") of not less than two (2) feet shall be utilized to provide variety and eliminate a regimented and monotonous streetscape. The staggered lots shall be allowed to reduce the rear yard setback a distance equal to the additional front setback. Staggering portions of the facades of individual units is also encouraged to achieve a similar effect.

The maximum widths of single-family detached residences and villas are determined by the side setback requirements that appear in SECTION SIX: ABBOTT PARK NEIGHBORHOODS. Generally, given the variety of lot sizes and housing product planned for Abbott Park, it is expected that the majority of single family houses will be built to the maximum width allowed on each lot. In doing so, the ARB shall require an enhanced front elevation and additional landscaping at both the front corners of the house to visually expand the front elevation and along both sides of the house.

SECTION THREE: HOME CONSTRUCTION STANDARDS

BUILDING HEIGHTS

The height of single-family detached residences shall be a maximum of thirty-five (35) feet. Residences shall not be more than two-stories, however only single-story residences are allowed on corner lots unless a variance is otherwise granted by the ARB. Trees of suitable height shall be planted near the building to help provide the proper vertical scale relationship.

BUILDING MATERIALS AND COLOR

Exterior surfaces will be generally of natural materials that blend and are compatible with the natural Central Florida landscape. Wood, hardboard composition material and masonry such as brick, stone, split rock, or stucco may be used but are subject to approval by the ARB. The ARB may require a sample of any exterior materials. Prior to ordering and/or installing any materials, please consult the ARB to determine if a sample will be required for ARB review. No plywood, vinyl, T-111 or aluminum siding will be approved on any area of the house, however the ARB will consider new construction materials and technologies.

The color of exterior materials must be generally subdued to enhance the colors of the natural landscape. Earth tones, generally muted, are recommended, although occasionally accent colors used with restraint may be approved by the ARB.

A color sample must be submitted for all exterior colors proposed for the residence including roof, exterior walls, trims, doors, enclosures and structures for review and approval by the ARB prior to construction. Samples must be identified by the manufacturer's code. All gable ends shall be constructed of materials compatible to the house.

BUILDING ELEVATIONS

Major roof ridgelines that terminate in a gable end condition on the rear elevation of the home are not permitted adjacent to arterial and collector roadways.

In addition to dimensional banding or other window enhancements on the windows on the front of the house, windows on the side and rear elevations must be, at a minimum, banded by scoring.

SECTION THREE: HOME CONSTRUCTION STANDARDS

BUILDING AND STRUCTURE PROJECTIONS

All projections from a residence or structure including, but not limited to, vents, chimney flues, gutters, downspouts, fences, utility boxes, porches, railings, and exterior stairways shall match the color of the surface from which they project, or shall be of a compatible color subject to approval of the ARB.


DECK/PATIO INSTALLATION SPECIFICATIONS

All proposed deck/patio installations must be submitted to and approved by the ARB prior to installation unless previously part of a Master Approval. (Sample form found in EXHIBIT A).

The following information must be included with each submittal:

1. Two (2) copies of a final survey with the house footprint indicating the exact location, size, and distance from side and rear property lines of the proposed deck/patio installation. Hand drawn sketches of lot boundaries are not acceptable.
2. The complete dimensioned construction details of the deck/patio including: size, type of lumber and other materials, finish, style, height from ground to baseboard, and vertical elevation details of all railings, seats, privacy walls and stairs.
3. If relevant for patio enclosures, see also SCREENED ENCLOSURES.

Material Requirements: Approved deck materials are pressure-treated pine, redwood, cypress and ultra-violet resistant PVC. Patios must be of concrete, brick or interlocking paver materials.



SECTION THREE: HOME CONSTRUCTION STANDARDS

Color Requirements: Wooden decks must be left natural or stained in clear or wood tone colors only. Painted decks must match the main exterior color of the house or be painted white. Submit a color sample for PVC decks. Patio concrete, paver or brick material colors shall complement the house's main exterior color.

No deck/patio construction is allowed to extend into a screen planting easement or required side setback. No deck shall be constructed within five (5) feet of a rear lot line. Decks more than 18" above grade must have lattice screening under the deck.

GARAGES AND PARKING

Driveways - Driveway width shall be no more than width of garage door(s) plus two (2) feet [one (1) foot maximum on each side of door(s)] as measured at the house.


Homes constructed with two (2) car garages shall have driveway widths of no more than 21 feet as measured on the house side of the sidewalk. Homes constructed with three (3) car garages shall have driveway widths of no more than 24 feet as measured on the house side of the sidewalk. The intent of this provision is to provide a "tapered" edge leading to the two (2) car and three (3) car garage to minimize driveway pavement adjacent to the sidewalk. Any proposed side-load or carriage-load garages and driveways will be subject to the review and approval of the ARB.

A minimum five (5) foot buffer between the edge of pavement and the property line must be provided. Flares at curb are required for ease of driver when entering driveway. Edge of driveway pavement or flares at curb shall be at no time closer than five (5) feet to the property line.

All driveway surfaces may be broom-finished concrete, interlocking brick pavers, or stamped concrete. No mulch or blacktop asphalt driveways will be allowed. Approval of brick pavers or a stamped concrete driveway is contingent upon design and material approval by the ARB. The portion of the sidewalk that passes through the driveway must match the material used for the driveway so as to create a monolithic appearance.

SECTION THREE: HOME CONSTRUCTION STANDARDS

Two (2) car garage illustration.



Garage Doors - Garage doors shall be equipped with automatic garage door openers. All garage doors must be paneled and/or provide window relief.

Parking - No overnight, on-street parking will be allowed and no boats, trailers, or recreational vehicles of any kind shall be allowed to be stored outside the residence. Exterior parking pads constructed of any material, whether in front yards, side yards or rear yards are strictly prohibited throughout Abbott Park.

MAILBOXES AND HOUSE NUMBERS

The United States Postal Service currently is expected to deliver mail to a centrally located kiosk with a cluster of individual mailboxes. Should that change such that the postal service commences home delivery then the Builder or the homeowner will be responsible for purchasing and installing the mailbox for those homes eligible for home delivery. Only one (1) style, shape and color of dual mailboxes is permitted in Abbott Park. A drawing detailing the required mailbox design is located in EXHIBIT B. Mailbox locations are subject to United States postal requirements.

Where applicable, the address number will be placed on the mailboxes as shown in EXHIBIT B. Also, a house number will be located on each home as directed by Pasco County.

SECTION THREE: HOME CONSTRUCTION STANDARDS

POOLS, SPAS AND ENCLOSURES

Pools and spas shall be located with respect to the main structure and shall not extend beyond the side walls of the home. Features such as existing trees, noise from pool equipment and views from adjacent properties can seriously impact the usage and enjoyment of pools and spas and shall be carefully considered before final placement is selected.

Swimming pools shall not be above ground. Swimming pools shall be designed to connect visually to the residence through landscaping and/or courtyard paving. Swimming pools shall not be permitted on the street side of the residence.

All pool and spa equipment shall be screened so that it is not visible from any street, common area or adjacent property. Screening or buffering providing 100% opacity may be accomplished by the use of walls or PVC fencing along with landscape materials.

Landscape materials alone may be utilized as long as there is 100% opacity.

Pools shall be enclosed by a screened enclosure or may be fenced with PVC fencing material. Fences must meet the City of Zephyrhills' Fences, Walls and Hedges standards and the design guideline requirements enumerated in Section Four.

The installation of pools at homes on corner lots is not prohibited. However, installation of pools on corner lots will be considered by the ARB on a case-by-case basis.

Screened Enclosures

All screened enclosures shall be constructed with charcoal screen material and bronze frames. Mill-finish aluminum, white frames and black frames are not permitted. No aluminum roofing or sheet metal panels will be permitted. However, structured panel roofs are allowed. Flat roofs will not be allowed. Pitch of screen roof shall be shown on preliminary plans and shall be subject to approval of the ARB. Screen enclosures are not permitted on front patios, porches or entryways.

Pool enclosures cannot exceed one (1) story without prior ARB approval. Pool screened enclosures must not be visible from the street in front of the residence.

Landscaping must be incorporated to help modulate and soften the overall appearance of the screened enclosure.

SECTION THREE: HOME CONSTRUCTION STANDARDS

ROOFS

All front elevations shall have a minimum of two (2) roof breaks.

Mansard and flat roofs will not be allowed. Pitch of roof shall be shown on preliminary plans and shall be subject to approval of the ARB. All required roof breaks and major roof ridgelines shall be a minimum pitch of 5:12. The major roof ridgeline shall be defined as the overall ridgeline as viewed from the front and both sides of the residence in elevation view. Minor roof pitches less than 5:12 will be considered by the ARB provided:

- a.) The reduced roof slope encompasses not more than a maximum of 30% of the total roof area, and
- b.) The reduced slope does not encompass any of the required roof breaks and major roof ridgelines as described above other than that portion of the roof that slopes towards the rear of the lot.

Major roof ridgelines that terminate in a gable end condition at the rear of the home are not permitted adjacent to any arterial and/or collector roadway. Variations on specific designs may be used with ARB approval. The minimum soffit depth of twelve (12) inches is required with a minimum of a six (6) inch fascia trim. Appropriate roof materials include cement tile, asphalt shingles and fiberglass shingles.

All roofs shall be dimensional type shingles of a material, colors and texture approved by the ARB. Standing-seam metal roofs with baked-on color finish may be used sparingly for architectural accent. Red and blue asphalt or fiberglass roofs are prohibited. Green asphalt or fiberglass roofs shall only be constructed with ARB approval. All roof vents, plumbing stacks, flashings and metal chimney caps shall be painted to match the approved roof colors. Efforts shall be made to place all vents and plumbing stacks on rear slopes of the roofs whenever possible. Any deviation from this provision shall require approval by the ARB.

SIDEWALKS

Entry walks to home must commence at the driveway and terminate at the front door/porch and not terminate at a public sidewalk. It shall be the responsibility of the homeowner to properly maintain sidewalks located within their property lines.

ULTRAFI

Abbott Park is an UltraFi community with exceptional technology services provided by Spectrum.

SECTION FOUR: LANDSCAPE STANDARDS

LANDSCAPING

Landscape Architecture of each homesite is extremely important for the maintenance of a visually attractive community and investment protection of the homeowners. To ensure the overall beauty of the community, the ARB has the authority to approve or disapprove landscape plans for the single-family residential homesites.

It is the intent of the ARB to promote the use of mature landscape materials in sufficient abundance to establish aesthetically pleasing neighborhoods. The use of such materials provides Abbott Park with the appearance of an established, enduring community. In addition, the City of Zephyrhills, Pasco County and the Southwest Florida Water Management District promote the use of Xeriscape-type or "Florida Friendly Landscapes". These are "quality landscapes that conserve water, protect the environment, are adaptable to local conditions and are drought tolerant."

Guidelines:

A landscape plan and irrigation plan shall be prepared at a minimum scale of 1" = 20' and will be based upon the final site plan and architectural elevations of the residence. The landscape plan and irrigation plan shall be submitted to the ARB with Final Plans (when feasible) prior to construction activities on-site. The landscape and irrigation plan may be included in an application for Master Approval. All landscaping and irrigation shall be designed and installed in accordance with the "City of Zephyrhills Landscaping Standards" and "ARB Landscape Guidelines."

Minimum requirements for landscaping are as follows:

1. The initial landscaping expenditure on each single family detached residential unit shall, at a minimum, be an amount equal to one and a half per cent (1.5%) of the total selling amount of the dwelling unit including lot price. For example, if the selling price of a home (including lot price) is \$200,000.00, then the landscape amount shall be \$3,000.00 for that dwelling unit. The foregoing sum is hereafter called the "Landscape Amount." The Landscape Amount for each lot shall include the expenditures for trees, shrubs, live plant material, including sod and street trees. The Landscape Amount does not include any expenditures on other hardscape items or required irrigation system.

The ARB reserves the right to review all landscape plans, unit prices and quantities to verify compliance with the intent of this provision.

SECTION FOUR: LANDSCAPE STANDARDS

2. **Tree Requirements** - The quantities of street trees and lot trees are based upon the standard lot size within a neighborhood and are located within SECTION SIX: ABBOTT PARK NEIGHBORHOODS.

Trees shall be nursery grown and not field collected. Winter-dug, balled and burlap wrapped trees or containerized trees will be acceptable. No grow bag or bare root trees will be accepted. All trees and shrubs shall be Florida grade No.1, or better, according to the "Grades and Standards for Nursery Plants," Parts I and II, State of Florida, Department of Agriculture and shall conform to American Association of Nurserymen standards for nursery stock.

Minimum size for street trees is four (4) inch caliper with a 10-foot height (minimum). Minimum size for Lot trees is three (3) inch caliper with a 10-foot height (minimum). Smaller additional accent trees may be approved by the ARB upon review of the individual lot owner's request.

Shrubs and Groundcovering - Although the majority of the landscaping will be placed in the front of the residence, the ARB will be looking for moderate landscaping in all rear yards, on the street side of corner lots, and along the sides of the home as well as any screened enclosures. Minimum size for shrubs shall be three (3) gallon container size with a height of 24". Accent shrubs are recommended to be seven (7) gallon to fifteen (15) gallon container size. Minimum size for groundcover is a one (1) gallon container and the minimum is a four (4) inch pot for annuals.

3. **Spacing** - Spacing of trees and shrubs shall be based on good horticultural practice and industry standards allowing for future growth of the plant materials with the maximum spacing for most shrubs being 30 inches to 36 inches on center. Spacing for hedges and screens may be 24 inches to 30 inches on center. Typical spacing for groundcovering is 18 inches on center with 24 inches maximum.
4. **Sod Requirements** - The front yard and any other irrigated portions of the lot and all corner lots shall be sodded with either St. Augustine "Floritam", St. Augustine Palmetto, Argentine Bahia or Zoysia. Argentine Bahia sod is recommended for use in the non-irrigated portions of the lot, and in swales and low areas retaining water in order to provide turf areas that are more drought tolerant and require less irrigation. Only solid sod shall be installed and no seeding, plugging or sprigging will be allowed.

SECTION FOUR: LANDSCAPE STANDARDS

5. **Mulch** - Dyed or artificially colored mulch may be allowed subject to ARB approval. Pine bark mulch or pine straw is recommended. Mulch should be installed at a minimum of a three (3) inch layer. White rocks or marble chips of any kind are permitted.
6. **Lots on Secondary Roadways** - The ARB requires additional landscaping along the borders of lots along secondary roadways and neighborhood entry roads.
7. **Street trees** – Every Builder shall install a street tree for every lot it owns pursuant to the Developer's Landscape Plan as approved by the City of Zephyrhills. Street trees shall have a minimum size of four (4) inch caliper and 10-foot height (minimum). No low forks will be accepted on street trees. There shall be no tolerance with regard to under sizing street trees. Undersized trees shall be removed and replaced as required by the ARB. Trees shall be measured for caliper size six inches (6") above finished grade. Street trees shall be planted as mandated the approved Landscape Plan and by current City of Zephyrhills Land Development Code requirements.
8. **Tree Removal** - No existing trees greater than four (4) inches in diameter at breast height shall be removed or cut without the approval of the ARB. Tree removal permits must be obtained in accordance with the City of Zephyrhills Landscaping standards. Builders and homeowners shall comply with the "City of Zephyrhills Landscaping standards."
9. **Prohibited Plant Material** - The following trees and shrubs are prohibited in Abbott Park:

PROHIBITED PLANT MATERIAL

<u>Botanical Name</u>	<u>Common Name</u>
Casuarina equisetifolia	Australian Pine
Melaleuca leucadendron	Punk Tree
Schinus terebinthifolius	Brazilian Pepper
Melia azedarach	Chinaberry
Dalbergia sissoo	Rosewood
Fruit Trees	

The use of citrus trees is discouraged and will be considered by the ARB on a case-by-case basis and only for installation in rear yards. A detailed plan must be submitted showing location, species and size of citrus tree.

Other prohibited species: Any exotic flowering tree or exotic palm that is not cold tolerant. Such species may be allowed if it is placed in a portable container to be transported indoors by the homeowner during inclement weather.

SECTION FOUR: LANDSCAPE STANDARDS

IRRIGATION

All residential homesites shall have installed an underground, fully automatic, 100% coverage irrigation system utilizing micro-irrigation for 50% of the on-site green-space.

1. The current "Florida Irrigation Society" (FIS) Standards, which is incorporated herein by reference, shall be used for all irrigation design and installation procedures, except where the requirements of the City of Zephyrhills Landscaping standards supersede the FIS standards.
2. Irrigation of landscaping on all residential homesites shall be accomplished using potable water and/or reclaimed water. Strict adherence to Abbott Park irrigation guidelines and City of Zephyrhills regulations regarding usage is required. Check proposed plant materials for compatibility when reclaimed water is being used for irrigation.
3. In accordance with the City of Zephyrhills Landscaping standards, a maximum of fifty percent (50%) of the on-site green-space (landscaping and turf grass areas) shall be allowed to utilize irrigation techniques other than micro-irrigation. The irrigation system shall be designed to accommodate separate landscape plant zones based on differing water requirements. Sprays and rotors shall not be combined on the same irrigation zone. Turf areas shall be on separate irrigation zones from other landscape plant zones.
4. All systems for residential homesites shall be designed to avoid over-spray, runoff, or other similar conditions where water flows onto or over adjacent property, non-irrigated areas, walkways, roadways, structures, or water features. Narrow areas such as planting beds along the sides or rear of the home shall not be irrigated unless micro-irrigation is utilized. It is recommended that street trees and canopy trees be provided with micro-irrigation coverage on a separate zone for optimum controlled watering time.
5. Irrigation control equipment shall include an operable and functioning automatic irrigation controller (time-clock) having program flexibility such as repeat cycles and multiple program capabilities. Automatic irrigation controller(s) shall have battery back-up to retain the time and irrigation program(s). Automatic irrigation control systems shall be equipped with an operable and functioning rain sensor device with automatic shut-off capability. The rain sensor device shall be placed where it is exposed to unobstructed natural rainfall.

SECTION FOUR: LANDSCAPE STANDARDS

LANDSCAPE & IRRIGATION MAINTENANCE

1. It shall be the responsibility of the homeowner to properly maintain all trees including street trees, lot trees, shrubs, ground-covering, turf and irrigation installed within the lot frontage area abutting the roadway. It shall be the responsibility of the Abbott Park Community Development District to properly maintain street trees that are not installed within lot frontage areas abutting the roadway. The landscape and irrigation system shall be maintained and managed to ensure efficient water use and to prevent wasteful practices. No over spray of sidewalks, streets or adjacent property is allowed on residential homesites. Homeowners shall comply with watering times as mandated by Abbott Park, the Southwest Florida Water Management District and City of Zephyrhills.
2. In the event that any tree, shrub, groundcover or turf area exhibits signs of decline or pest infestation, the homeowner shall take immediate action to remedy the problem. If the trees, plant materials or turf dies, then the homeowner shall immediately remove the dead material and replace with new material to meet the specifications of the original landscape plan. The homeowner may propose a substitute to the ARB for the material being replaced.
3. Homeowners are responsible for regular maintenance of the irrigation system on their lots. Irrigation maintenance includes, but is not limited to: resetting the automatic controller according to the season; cleaning irrigation filters; testing and calibrating the rain sensor device; monitoring, adjusting and repairing irrigation equipment to ensure that the efficiency of the system is maintained. Grass should be cut away from spray and rotor heads (re-setting as necessary) for optimum spray pattern and trajectory.
4. Landscape Maintenance includes, but is not limited to:
 - a. Removing guy-wires and supports from trees and palms after establishment of the root zone.
 - b. Replenishing mulch in order to maintain a minimum three (3) inch depth after compaction.
 - c. Fertilization and soil amendments for landscaping and turf according to industry standard practices for optimum growth and longevity.
 - d. Pruning of plant material on a monthly basis and cutting of turf grasses on a weekly basis at a height recommended by landscape professionals.
 - e. Homeowners on ponds must mow banks to water's edge. Homeowners shall NOT mow in wetland, conservation or preservation areas.

SECTION FOUR: LANDSCAPE STANDARDS

FENCING

Subject to standard design criteria in this section, perimeter fences may be used to enclose portions of side and rear yards. Fencing must be maintained in “good” condition at all times. There is no fencing permitted in a rear drainage easement. Drainage easements on the side of a home may be approved on a case-by-case basis. All fences are set off the Back corner of the home and are only allowed to extend NO more than 10’ (Ten Feet) towards the front of the home.

WATERFRONT/CONSERVATION/WETLAND LOTS:

Front: Perimeter fences shall conform to a standard design, finish, color, height, post and gate details as provided in this section. Fences can be of 2 types 6’ in Height all vinyl/PVC Almond T&G (tongue and groove) or 6’ in Height open- picket 3-rail in black aluminum. The finished side of the fence must face the Exterior. Each fence must have a minimum of one 4’ gate.

Sides: Perimeter fences shall conform to a standard design, finish, color, height, post and gate details as provided in this section. Fences can be of 2 types: 6’ in Height all vinyl/PVC Almond T&G (tongue and groove) or 6’ in Height open- picket 3-rail in black aluminum. **Note that the last 18’ of the side fence shall be only 4’ in height with ONLY open 3-rail black aluminum fence.** The finished side of the fence must face the adjoining lots or any abutting right-of-way.

Back: Perimeter fences shall conform to a standard design, finish, color, height, post and gate details as provided in this section. Fences shall be only 4’ in Height Black open picket 3 rail aluminum or 4’ in height almond open PVC fence. The finished side of the fence must face the Exterior or any abutting right-of-way.


BACK TO BACK LOTS:

Front: Perimeter fences shall conform to a standard design, finish, color, height, post and gate details as provided in this section. Fences shall be only 6’ in Height all vinyl/PVC Almond T&G (tongue and groove) The finished side of the fence must face the adjoining lots or any abutting right-of-way. Each fence must have a minimum of one 4’ gate.

Sides: Perimeter fences shall conform to a standard design, finish, color, height, post and gate details as provided in this section. Fences shall be only 6’ in Height all vinyl/PVC Almond T&G (tongue and groove) The finished side of the fence must face the adjoining lots or any abutting right-of-way.

Back: Perimeter fences shall conform to a standard design, finish, color, height, post and gate details as provided in this section. Fences shall be only 6’ in Height all vinyl/PVC Almond T&G (tongue and groove) The finished side of the fence must face the adjoining lots or any abutting right-of-way.

SECTION FOUR: LANDSCAPE STANDARDS



Black Aluminum Style Fence:



Almond Open PVC Fence:



The Master Developer reserves the right to revise and update the Design Guidelines at any time, except for the right of the City's Planning Department to approve any revisions to the Single Family Detached Supplemental Standards.

SECTION FOUR: LANDSCAPE STANDARDS

PVC Almond



Locations for Containment Fencing

1. Containment fencing is permitted on any homesite.
2. Side yard containment fencing shall begin 15 feet behind the front plane of the home.
3. If the fence is visible to other Abbott Parks' homesites or common areas, landscape buffering will be required per ARB guidelines. In any case, rear-yard containment fences must be screened from view from the street with landscaping.

Locations of Both Privacy and Containment Fencing

1. No fences will be permitted in the front yard.
2. Fences cannot be placed on landscape or drainage easements.
3. Fences may extend into City of Zephyrhills utility easements only with approval from the City Council.
4. Fence requirements in Abbott Park may be more restrictive than those contained in the City of Zephyrhills' Fences, Walls, and Hedges standards. The Abbott Park fencing design guidelines will prevail in such instances.

The ARB reserves the right to modify fencing requirements within each neighborhood.

SECTION FOUR: LANDSCAPE STANDARDS

EXTERIOR LIGHTING

Any exterior house lighting for aesthetic purposes shall generally be kept close to the exterior wall of the house. Lighting fixtures shall be carefully oriented to avoid directing light towards adjacent property and the street. No light trespass will be permitted onto adjacent properties. No colored light sources shall be allowed unless seasonal or temporary in nature.

SCREENING AND BUFFERING

Water softeners, sprinkler controls, trash containers and other similar utilitarian devices must be fully screened from view and not visible from roadways, adjoining property and common areas. Screening or buffering may be accomplished through the use of walls along with landscape materials or landscape materials alone may be utilized as long as there is 100% opacity.

Air conditioning units shall be shielded and hidden so that they are not readily visible from the common areas or adjacent parcels. No window or through-wall air conditioning units shall be installed in any residential unit.

WALLS

Walls will be under scrutiny of the ARB to comply with design compatibility and shall be in keeping with the architectural style and materials used in the neighborhood. Approval of walls by the ARB will be on a case-by-case basis.

Retaining walls will be faced with the same material as the structure it is in contact with or shall be made of compatible materials if it is a freestanding retaining wall. It is recommended that walls be constructed of solid masonry.

No walls are permitted in the front yard.

SECTION FOUR: LANDSCAPE STANDARDS

SCREENING AND BUFFERING

Water softeners, sprinkler controls, trash containers and other similar utilitarian devices must be fully screened from view and not visible from roadways, adjoining property and common areas. Screening or buffering may be accomplished using walls along with landscape materials or landscape materials alone may be utilized as long as there is 100% opacity.

Air conditioning units shall be shielded and hidden so that they are not readily visible from the common areas or adjacent parcels. No window or through-wall air conditioning units shall be installed in any residential unit.

WALLS

Walls will be under scrutiny of the ARB to comply with design compatibility and shall be in keeping with the architectural style and materials used in the neighborhood. Approval of walls by the ARB will be on a case-by-case basis.

Retaining walls will be faced with the same material as the structure it is in contact with or shall be made of compatible materials if it is a freestanding retaining wall. It is recommended that walls be constructed of solid masonry.

No walls will be permitted in the front yard.

SECTION FIVE: OTHER STANDARDS

ACCESSORY BUILDINGS

Playhouses and other freestanding structures must be approved in writing by the ARB prior to construction. No storage sheds or greenhouses are permitted.

The following items must be supplied for submittal to the ARB:

1. Two (2) copies of a final survey indicating the location of the house on the lot with the proposed accessory building in relationship to the existing house and all adjacent property lines. The survey must be drawn to scale and be fully dimensioned.
2. A color photo, brochure or scaled drawing depicting the new facility.
3. A description of the exterior of the building specifying roofing, siding and trim materials and colors.
4. Two (2) copies of a landscaping plan indicating the specific plants proposed as landscape screening, including height and spacing at installation, height at maturity, quantity and species. Also, plant locations must be indicated on the final survey.

ANTENNAS & SATELLITE DISHES

All exterior antennas and all satellite dishes in excess of one (1) meter in diameter are prohibited in Abbott Park. For satellite dishes less than one (1) meter in diameter, prior to installation homeowners shall submit detailed plans for review and approval. Plans of all proposed installations shall be properly scaled and dimensioned. The ARB approval shall be consistent with the Federal Communications Commission (FCC) rules implementing Section 207 of the Telecommunications Act. The requirements in EXHIBIT C will guide the ARB and homeowners in planning and reviewing the siting of all satellite dish and microwave antenna installations, and are established to assure the safest possible location and operation of satellite dishes while preserving and enhancing reasonable and consistent aesthetic standards.

CLOTHESLINES

Clotheslines and clothes poles for the outdoor drying of clothes is strictly prohibited.

SECTION FIVE: OTHER STANDARDS

FLAGS

Freestanding flagpoles are not allowed. The American or other countries' flag may be displayed on a pole mounted on the front of a house. It is recommended that the flag be no larger than three (3) feet by five (5) feet. Flag must be neat, tidy and not frayed or faded. On Armed Forces Day, Memorial Day, Flag Day, Independence Day and Veterans Day, a flag representing either the United States Army, Navy, Air Force, Marine Corps or Coast Guard may be flown.

GARBAGE CONTAINERS

Garbage containers shall be stored inside the garage or shall be fully screened from view. Containers are only permitted in the front yard on collection day.

PREPARATIONS FOR INCLEMENT WEATHER

At times, the National Weather Service will issue alerts and warnings for our area regarding tropical storms or hurricanes. Residents are urged to take all possible precautions to secure homes and property. Many local publications are available providing checklists and information for hurricane preparedness.

Storm shutters, plywood or tape to protect windows and sliding glass doors, may be installed two (2) days before an impending storm. The timing is based upon the National Weather Service or Hurricane Center's projected time of arrival of a storm. Protective devices shall be removed within five (5) days after a storm has passed through the area.

PROPANE TANKS

The installation of propane tanks is subject to approval of the ARB.


Generally, all propane tanks shall be buried in front yards. The builder is responsible for contacting the utility-locating service prior to digging. Tanks must be located outside of easements and any gauges or other devices appearing aboveground must be screened in the front and on the sides by landscaping. The builder and/or homeowner shall be responsible for any damage to streets, sidewalks, landscaping or irrigation systems, and underground utilities, i.e. electric lines, telephone lines, cable television lines, potable water lines, reclaimed water lines, sanitary sewer lines, storm sewer lines and inlets during installation of tanks or during gas delivery or servicing of tanks.

The builder and/or homeowner shall be responsible for any surcharges imposed by any utility company due to the installation of propane gas service to the home. The builder and/or homeowner are responsible for contracting with reputable, insured propane gas companies.

SECTION FIVE: OTHER STANDARDS

RECREATIONAL ITEMS

Play equipment shall be allowed but will be considered on a case-by-case basis. All play equipment must be submitted and be approved by the ARB prior to installation. Play equipment shall be located in rear yards only and must not be visible from the street. The equipment must be located at least seven and a half feet (7.5') from side property lines. Equipment must be located at least 10 feet from the rear property line. Care must be taken in placement of equipment so that the views of neighboring residents are not affected. Screening with an approved fence or landscaping is required.



Basketball Standard Installation Specifications

All proposed basketball standard installations must be submitted to and approved by the ARB prior to installation.

The only type of basketball standard approved for Abbott Park includes a backboard made of clear acrylic in a rectangular or fan shape. Only black metal poles are allowed and must be installed in a location based on one of the following: 1) at a minimum of 15 feet from the lot side of the public sidewalk and along the outside edge of your driveway or 2) rear yard installations may be approved on a case-by-case basis. The backboard may be installed directly on the face of the garage above the garage door on side-load garages only. No other front yard and no side yard locations will be allowed. Portable basketball standards are allowed but must meet the same color and location standards as permanently installed standards.

Note: Clear backboards and black poles tend to blend into their surroundings and are less noticeable, providing a neat, uniform appearance throughout the entire community.

SECTION FIVE: OTHER STANDARDS

Information Needed with Submittals

Two (2) copies of a final survey must be submitted with your house footprint indicating the exact location of the proposed play equipment or basketball standard on your lot. Also identify any nearby flowers or bushes on neighboring lots which could be impacted by your installation and identify how you will protect them.

Submit the complete details of your proposed basketball standard including photographs or catalog cut sheets of the exact make and model you propose to install.

Temporary Storage Containers

PODS and other temporary storage containers are allowed subject to the following conditions:

- a.) There must be only one (1) storage container at a residence at any time.
- b.) The storage container must not be placed on the sidewalk or on any roadway.
- c.) Containers may not remain at a residence longer than 10 days.

Tennis Courts


Tennis courts are not allowed on residential homesites.

SECTION SIX: ABBOTT PARK NEIGHBORHOODS

ABBOTT PARK NEIGHBORHOOD MAP



ABBOTT PARK



The Master Developer reserves the right to revise and update the Design Guidelines at any time, except for the right of the City's Planning Department to approve any revisions to the Single Family Detached Supplemental Standards.

SECTION SIX: ABBOTT PARK NEIGHBORHOODS

LOT LAYOUT & SETBACK REQUIREMENTS

STRUCTURE MINIMUM/MAXIMUM SETBACKS: SINGLE-FAMILY DETACHED SETBACKS:

Minimum lot width:	40 feet*/50 feet
Minimum front yard setback:	20 feet/25 feet to Garage
Minimum rear yard setback:	15 feet (5 feet for pool or non-pool enclosures)
Minimum side yard setback:	5 feet
Maximum building height:	35 feet/2 stories

* Only where it's been approved by the City of Zephyrhills

STRUCTURE MINIMUM/MAXIMUM SETBACKS: SINGLE-FAMILY ATTACHED SETBACKS:

Minimum lot width:	18 feet
Minimum lot size:	1700 sf
Minimum front yard setback:	20 feet
Minimum rear yard setback:	20 feet
Minimum side yard setback:	10 feet
Maximum building height:	35 feet/2 stories

Notwithstanding the above minimums, front setbacks of single-family detached homes from road R.O.W.'s shall be staggered to provide variety and create a less regimented and monotonous streetscape.

POOL AND NON-POOL ENCLOSURE SETBACKS

NEIGHBORHOOD	SIDE SETBACK	REAR SETBACK
All single-family home neighborhoods	Must match the structure	5'

SECTION SIX: ABBOTT PARK NEIGHBORHOODS

MINIMUM SQUARE FOOTAGE

Square footage is limited to heated and air-conditioned space, exclusive of porches, garages and decks. Housing units shall have the following minimum square footage requirements:

LOT SIZE	MINIMUM SQUARE FOOTAGE
40'	1,500 square feet
50'	2,300 square feet

Notwithstanding the above limits, the Master Developer reserves the right to adjust the allowable square footage by up to 200 square feet for each lot size on a case-by-case basis.

Single Family Detached Supplemental Standards:

1. Home Builders shall provide staggered front yard setbacks, not less than (2) two feet on adjacent lots and shall be allowed to reduce the rear yard setback a distance equal to the additional front setback.
2. Monotony Control – houses shall be required to have sufficient differences in both front elevation and color schemes, and includes the following situations being subject to the monotony code:
 - 2.1 Two (2) houses on each side of a proposed home that all face the same street.
 - 2.2 The houses directly across from the street from the proposed home
 - 2.3 One (1) house on each side of the house directly across the street from the proposed home.
3. Roofing shingles shall be dimensional type shingles, commonly referred to as architectural shingles. Alternating roofing shingle colors is encouraged.
4. Minimum of two (2) trees shall be provided on each lot.

Any proposed amendments to the above Single Family Detached Supplemental Standards shall require approval by the City of Zephyrhills Planning Department.

SECTION SIX: ABBOTT PARK NEIGHBORHOODS

TREE REQUIREMENTS

Street Trees – Street trees shall be installed by each Builder as required by the street tree plan approved by the City of Zephyrhills. See **SECTION FOUR: LANDSCAPE STANDARDS**, for additional requirements and specifications for street trees.

Lot Trees and Street Trees - Within the Abbott Park neighborhoods, there are minimum requirements for lot trees and street trees.

LOT SIZE	3" CALIPER LOT TREE REQUIREMENT	4" CALIPER STREET TREE REQUIREMENT
40'	Two	One
50'	Two	One

Palms may count toward the requirements at the ratio of three (3) palms (10' clear trunk) grouped together per one (1) lot tree. Palm trees may be substituted for up to 30% of the required lot trees. Additional palms may be planted on-site, however, they will not count towards meeting the lot tree requirement.

Existing trees may count toward meeting the minimum requirements.

Street trees along roadway DO NOT count toward meeting the minimum lot tree requirements.

Minimum size for lot trees at time of installation is three (3) inch caliper with 10-feet height and the minimum size for street trees at time of installation is four (4) inch caliper with 10-feet height. Additional smaller accent trees may be approved by the ARB upon review of the individual homeowner's request. Trees shall be measured for caliper size 12 inches above grade for trees four (4) inches diameter at breast height or greater and six (6) inches above grade for trees less than four (4) inches diameter at breast height.

It shall be the responsibility of the homeowner to properly maintain all trees including street trees, lot trees, shrubs, ground-covering, turf and irrigation installed within the lot frontage area abutting the roadway. It shall be the responsibility of the Abbott Park Community Development District to properly maintain street trees that are not installed within lot frontage areas abutting the roadway. See **SECTION FOUR: LANDSCAPE STANDARDS**, for additional tree specifications.

EXHIBIT C

ANTENNA & SATELLITE DISH SPECIFICATIONS

The following guidelines are being promulgated by the ARB pursuant to the Abbott Park Homeowners Association, Inc.'s Declaration of Covenants, Conditions and Restrictions with respect to the installation of satellite and microwave dish antennas ("dishes") in Abbott Park.

The following provisions will control the installation of all satellite dish and microwave antennas in Abbott Park. To avoid confusion, homeowners shall submit plans for all proposed satellite dish installations to the ARB for review, prior to installation. All other exterior radio and television antennas are prohibited.

SITING:

1. No more than one (1) dish shall be installed on any Lot.
2. The maximum dish diameter shall be one (1) meter or less with 18" being the preferred size.
3. If a home is situated so that signals cannot be received by a dish placed in one (1) of the preferred locations described below, the ARB will consider suggestions from the homeowner for alternate locations.
4. Preferred Installation Locations:
 - 4.1. Dishes shall be installed only in rear or side yard areas.
 - 4.2. Dishes shall not be located within a front yard on any Lot, nor mounted to the front wall of any home, nor located within screen planting easements on any Lot.
 - 4.3. Dishes shall not be mounted on the roof or second story of any home unless in the written opinion of the satellite dish installing company, the resident may not receive the desired reception in any other first floor location.
 - 4.4. Dishes shall be located so as not to be visible from the front street and, on corner lots, the side street.
 - 4.5. Dishes shall be mounted only as follows:
 - 4.5.1. On the rear wall of the house at or below the top line of the tallest first floor window but in no event more than 10 feet above grade, measured from the top of the dish (dishes over 18" must be no more than four (4) feet above grade) or

EXHIBIT C

- 4.5.2. On the side of the house, no more than four (4) feet above grade as measured from top of dish to grade, no more than two (2) feet from the house and be screened from all adjacent properties and streets **or**
- 4.5.3. On a deck or a patio located in a rear or side yard not more than four (4) feet above the deck or patio floor but in no event more than 10' above grade (measured from the top of the dish).
- 4.6. Dishes may be freestanding in the side yard but shall not be more than four (4) feet above grade (measured from top of dish to grade). Side yard dishes shall be adequately screened from the front street, side street and neighboring houses.
- 5. Color: To minimize visibility, dishes shall be a color that closely matches the field color of the residence located on the lot. Neutral colors such as gray, beige or off-white are preferred.

SUBMISSION PACKAGES SHALL INCLUDE:

- 1. If possible, please submit a fully-dimensioned and drawn-to-scale layout of the contemplated installation on a final survey of the Lot which also shows:
 - 1.1. Distances between the dish and all property lines.
 - 1.2. If mounted on a deck or patio, dimensions of the deck or patio indicating the exact dish location, height above grade and distances to the edge of deck or patio.
 - 1.3. If freestanding, the location of the dish and screening specifying the total height of the installation from grade to top of dish and distance to the residence and any other structures located on the Lot.
- 2. Elevation drawings for the dish as it will be installed showing the diameter and total maximum height of the proposed dish and its mounting standard on home, on deck or patio, or if freestanding, its distance above grade.
- 3. If mounted on rear or side of the residence, the elevation of residence shall be shown indicating the location of the dish installation including the height above grade and distances to the corners of the house.
- 4. You will receive a written notification of the ARB's review comments.

NOTE: The foregoing requirements are established to assure the safest possible location and operation of satellite dishes within Abbott Park while preserving and enhancing reasonable and consistent aesthetic standards. To the extent that any of the foregoing requirements and guidelines are found to be invalid or unenforceable, pursuant to current or future Federal Communications Commission (FCC) laws or regulations, such finding shall not affect the other provisions hereof and these regulations and guidelines shall be construed as if such invalid or unenforceable provision.

